

TECHNICAL REQUIREMENTS FOR PERMITTED WEAPONS



V2025.03

All weights and sizes are in metric (kg,cm)

Weight	Length	Length of the Blade	Length of the Handle	Special Restrictions
1.1 - 1.7	72 - 100	60 - 80	12 - 20	
1.7 - 2.3	100 - 140	70 - 100	20 - 50	The Hilt should not extend more then 35mm over the Bearers hand.
2.3 - 3.0 120 - 160 90 - 130 30 - 50				
	1.1 - 1.7 1.7 - 2.3	1.1 - 1.7 72 - 100 1.7 - 2.3 100 - 140	1.1 - 1.7 72 - 100 60 - 80 1.7 - 2.3 100 - 140 70 - 100	1.1 - 1.7 72 - 100 60 - 80 12 - 20 1.7 - 2.3 100 - 140 70 - 100 20 - 50

Hafted Weapons(Polearm,Poleaxe,2-handed axe)	Weight	Length	Length of Striking Edge	Special Restrictions
Type 1 Hafted (Mace)	0.7 -1.3	50-70	>5	
Type 2 Hafted (Axe)	0.7 - 1.3	50 - 90		Type 1 Hafted (Maces) must have 6 or more flanges or be a ball. All Hafted weapons with sharp corners (Less than 90 degrees) and corners that can be considered dangerous
Type 3 Hafted (Longaxe)	1.3 - 2.5	90 - 130	>0	are not permitted. Any point on the Striking Edge of the weapon Must have an angle more than 90 degrees.
Type 4 Hafted (Polearm)	2.2 - 3.2 130 - 220 >12			

Outrance Bladed Weapons (Swords, Sabers, Falchio	ns etc) Calculation	Special Restrictions
Mens	Balance Point of 15cm or more	Outrance swords must also meet the Bladed Weapons Technical Requirements.
Womens	Balance Point of 10cm or more	Balance points are measured from the edge of the grip zone and includes the crossguard.

Other Restrictions for all Weapon Types

The permissible upwards error for all weapons is 100g.

Heavier weapons or thrust weapons are not allowed under any circumstance.

The edge of all blades must be rebated and have a thickness of 2mm or more. This applies to striking and non-striking edges of all weapons.

The Radius of all edges must be more than 10mm.

Only Weapons which have chronological validity of a specific historical period as confirmed by the Authenticity Committee are allowed.



TECHNICAL REQUIREMENTS FOR PERMITTED SHIELDS V2025.03



All weights and sizes are in metric (kg,cm)

Duels Shields and Bucklers	Lenght		Width		Diameter		Weight
	Min	Max	Min	Max	Min	Max	Max
Heater shield	40	75	30	65		_	
Punch shield	55	75	30	50			
Round shield for sword and shield						70	5
Round shield for sword and buckler					25	35	
Buckler					20	35	

Buhurt Bucklers and Shields	Lenght		Width		Diameter		Weight	
Heater shield	40	75	30	65				
Punch shield	55	75	30	50		_	5	
Round shield	25	70	5					
Buckler					20	40		
Other Restrictions for all Weapon Types								
All shapes must be conform with the Shields and Buckler rule document								
The Radius of striking edge must be more than 7 cm.								
Only Shields which have chronological validity of a specific historical period as confirmed by the Authenticity Committee are allowed.								

Changelog

- -add Shields sheet has been added
- change The permissible upwards error (Has been changed to 100gram for all weapons)
- change minium size of round shields was removed
- -add Round shields for Duels
- format Changed the layout of shields