



TECHNICAL REQUIREMENTS FOR PERMITTED WEAPONS

V2024.12.13

All weights and sizes are in metric (kg,cm)

Bladed Weapons (Swords, Sabers, Falchions etc)	Weight	Length	Length of the Blade	Length of the Handle	Special Restrictions
Type 1 Bladed (arming swords, falchions, sabers)	1.1 - 1.7	72 - 100	60 - 80	12 - 20	The Hilt should not extend more then 35mm over the Bearers hand.
Type 2 Bladed (longsword)	1.7 - 2.3	100 - 140	70 - 100	20 - 50	
Type 3 Bladed	2.3 - 3.0	120 - 160	90 - 130	30 - 50	
Hafted Weapons(Polearm,Poleaxe,2-handed axe)	Weight	Length	Length of Striking Edge	Special Restrictions	
Type 1 Hafted (Mace)	0.7 -1.3	50-70	>5	Type 1 Hafted (Maces) must have 6 or more flanges or be a ball. All Hafted weapons with sharp corners (Less than 90 degrees) and corners that can be considered dangerous are not permitted. Any point on the Striking Edge of the weapon Must have an angle more than 90 degrees.	
Type 2 Hafted (Axe)	0.7 - 1.3	50 - 90	>7		
Type 3 Hafted (Longaxe)	1.3 - 2.5	90 - 130	>9		
Type 4 Hafted (Polearm)	2.2 - 3.2	130 - 220	>12		
Outrance Bladed Weapons (Swords, Sabers, Falchions etc)	Calculation			Special Restrictions	
Mens	Balance Point of 15cm or more			Outrance swords must also meet the Bladed Weapons Technical Requirements. Balance points are measured from the edge of the grip zone and includes the crossguard.	
Womens	Balance Point of 10cm or more				
Other Restrictions for all Weapon Types					
<p>The permissible upwards error for all weapons is 100g. Heavier weapons or thrust weapons are not allowed under any circumstance. The edge of all blades must be rebated and have a thickness of 2mm or more. This applies to striking and non-striking edges of all weapons. The Radius of all edges must be more than 10mm. Only Weapons which have chronological validity of a specific historical period as confirmed by the Authenticity Committee are allowed.</p>					



TECHNICAL REQUIREMENTS FOR PERMITTED WEAPONS

V2024.12.13



All weights and sizes are in metric (kg,cm)

Dueling Bucklers and Shields		Weight	Length	Width	Special Restrictions
Buckler	5 kg	20 to 40 cm	20 to 40 cm	All modern fastenings must be hidden via paint, fabric, leather. All shapes must follow the Shield and Bucklers document.	
Shield (oval,heater, pavise)	5 kg	55 to 75 cm	30 to 65 cm		
Shield (round)	5 kg	40 to 65 cm	40 to 65 cm		
Group Bucklers and Shields		Weight	Length	Width	Special Restrictions
Buckler	5 kg	20 to 40 cm	20 to 40 cm	All modern fastenings must be hidden via paint, fabric, leather. All shapes must follow the Shield and Bucklers document.	
Shield (oval, heater, pavise, punch)	5 kg	55 to 75 cm	30 to 65 cm		
Shield (round)	5 kg	25 to 70 cm	25 to 70 cm		
Other Restrictions for all Weapon Types					
The Radius of striking edge must be more than 7 cm. Only Shields which have chronological validity of a specific historical period as confirmed by the Authenticity Committee are allowed.					

Changelog

- add Shields sheet has been added
- change The permissible upwards error (Has been changed to 100gram for all weapons)